

| | | | | | | | | | | | | | |
|--------------|-----------|------------|------------|-----------|-----------|-----------|----------|-----------|------------|------------|----------------|-----------------------------|--|
| | | Nitrat | Nitrit | | | | | | | | | | 100 x40x50 cm, 160 Liter |
| Datum | KW | NO3 | NO2 | GH | KH | PH | K | Fe | Po4 | NH4 | Silikat | Arbeiten | Dünger |
| 23.09.2022 | 38 | 10 | 0 | 19 | 6 | 6,5-7 | >15 | 0,5 | | 0 | | Test vor Wasserwechsel 75 % | 60 ml Nitrat Basic, 40 ml Phosphat Basic, 20 g Bittersalz, 10 ml Ferro |
| 30.09.2022 | 39 | 10 | 0 | 17 | 6 | 7 | >15 | 0,2 | 0 | 0 | | Test vor 50 % Wasserwechsel | 40 ml Nitrat Basic, 20 ml Phosphor, 20 ml Bittersalz, 15 ml ferro |
| 07.10.2022 | 40 | 5 | 0 | | | | >15 | 0,25 | 0 | 0 | | Test vor 70 % Wasserwechsel | 60 ml Nitrat Basic, 15 ml Phosphor, 30 ml Bittersalz, 10 ml ferro |
| 15.10.2022 | 41 | 10 | 0 | 18 | 6 | 7 | | 0 | 0 | 0 | | Test vor 70 % Wasserwechsel | 70 ml Nitrat Basic, 45 ml Phosphor, 30 g Bittersalz, 16 ml Ferro |
| 22.10.2022 | 42 | 20 | 0 | 18 | 6 | 7,5 | | 0,1 | 0 | 0 | | Test vor 70 % Wasserwechsel | 70 ml Nitrat Basic, 45 ml Phosphor, 30 g Bittersalz, 16 ml Ferro |
| 03.11.2022 | 44 | 20 | 0 | 17 | 6 | 7,5 | | 0,1 | 0,2 | 0 | | Test vor 70 % Wasserwechsel | 70 ml Nitrat Basic, 45 ml Phosphor, 30 g Bittersalz, 16 ml Ferro |
| 11.11.2022 | 45 | 20 | 0 | | | 7,5 | | 0,1 | 0,4 | 0 | | Test vor 70 % Wasserwechsel | 90 ml Nitrat Basic, 50 ml Phosphor, 30 g Bittersalz, 16 ml Ferro |